

LTITUDE 30 UND

LEADING THE NEXT GENERATION OF LUXURY HOME CINEMA PROCESSORS

GG

We leverage our unique technologies acclaimed across the entire film industry, from studios to commercial theaters, as well as our leading position in 3D sound research since 2001, to propose the most advanced, innovative, powerful and scalable 3D AV Preamplifier ever manufactured.

55

Arnaud Laborie, CEO

A new reference is born.

SETTING NEW STANDARDS

Powered by **unrivalled processing** capabilities and **exclusive technologies**, the Altitude³² opens the way to a whole new generation of luxury home cinema processors, designed for ultimate performance and sustainability within the fast moving home theater entertainment industry, now driven by 3D Audio, 4K Ultra High Definition and HDMI 2.0.

The Altitude³² is a **scalable easy-to-upgrade** solution. The entry model supports the latest HD Audio and Video formats while the highest model with 3D audio decoding option decodes and delivers **up to 32 discrete channels** of immersive audio content at an unprecedented level of quality, for a whole new listening experience, leaving competition far behind.

From the revolutionary hardware platform to the software environment, everything has been specified with no compromise to provide the **most future-proof** solution and ensure a unique user experience that Trinnov commits to enhance over years.

THE NEW PARADIGM OF 3D SOUND

Trinnov stands for 3D Innovation.

As early as 2001, Trinnov achieved the world first high-spatial-resolution 3D sound chain from 3D recording to 3D reproduction, over 24 speakers. Since then, Trinnov continuously contributes to 3D audio at the highest scientific level, with a portfolio of over 50 patents.

Trinnov Audio provides world class universities and research labs with high channel count Optimizer for 3D Research, including NHK's 22.2 channel. This is why Trinnov, as an undisputed pioneer and leader of the field, fully understands the new paradigm of 3D sound, its amazing complexity and provides the required technologies to ensure truly high performance 3D reproduction.

At least for the next decade, the Altitude³² will be the new reference for 3D sound.















NEXT GENERATION 32 CHANNEL AV PREAMP ELEVATE YOUR SOUND

We shaped the Altitude³² to ensure an undisputed leadership in 3D sound, leaving nothing to chance: high channel count, huge processing capabilities to meet the highest technical requirements, and exclusive patented technologies to unleash the full potential of immersive sound, regardless of formats and speaker layouts, turning the Altitude³² into a real 3D sound virtuoso and a reference for many years to come...

ULTIMATE 3D AUDIO EXPERIENCE

THE NEW REFERENCE FOR 3D SOUND

The standard version of the Altitude³² natively decodes Dolby Digital Plus®, Dolby TrueHD®, DTS Digital Surround® and DTS-HD Master Audio®. With the 3D Audio optional package, you can experience a new world of immersive sound with **Auro-3D**®, **Dolby Atmos**® and **DTS:X**®. For legacy content, the Altitude³² also includes Auro-Matic®, Dolby Surround Processing® and DTS:Neural X® upmixers.

Thanks to **Trinnov patented 3D spatial remapping technology**, the Altitude³² is the only processor to provide **universal and spatial-accurate 3D sound playback**. This technology ensures an unmatched spatial resolution for the most incredible immersive experience and represents the only sustainable solution to the inherent incompatibility issue of current and future 3D sound formats.

UNRIVALLED PROCESSING CAPABILITIES



REVOLUTIONARY HARDWARE PLATFORM

At the heart of this new generation of processor is a new approach to Digital Signal Processing, based on **revolutionary hardware architecture**, highly scalable and easy to upgrade.

Instead of traditionally using multiple DSPs implemented in a complex and rigid architecture, Trinnov Audio has developed a multi-purpose processing platform, based on a single multi-core Intel processor to provide unrivalled processing capabilities.

Used everyday in demanding professional environments, this architecture meets the highest requirements in terms of reliability. Despite its extreme sophistication, the Altitude³² is easy to operate thanks to a unique user-friendly and **self-explaining** web-based user interface.

PASSION FOR AUDIO QUALITY WITHOUT COMPROMISE

TRINNOV AUDIO: THE ROOM OPTIMIZATION EXPERT THE CHOICE OF PROFESSIONALS

For almost 10 years, Trinnov has provided prestigious customers with room correction solutions within the professional audio industry. In facts, the Optimizer technology is used across the entire film production chain, from mixing facilities to commercial theaters. The Optimizer technology is today's most advanced, comprehensive and flexible room correction system available on the market, fully integrated in the Altitude³², providing acoustic analysis, best-in-class room optimization, intelligent active crossovers and extensive bass management possibilities to ensure a true-to-source sound reproduction.





FUTURE-IN-MIND- kHz

ONGOING INNOVATION

Since 2003, Trinnov audio is committed to innovation as a mean to provide high quality sound and future-proof technologies. Both the hardware platform and software environment of the Altitude³² have been designed to open endless perspectives via software implementations and deliver a user experience to be enhanced over years through ongoing innovation.

They trust us:



Film mixing facilities of the original Godzilla movie.



Film mastering for HDTV.



800 seats premiere screening room.

32 Channel Digital Audio Processor / Universal Spatial-Accurate 3D Audio playback / 118 Digital and Analog Inputs and 80 audio Outputs / Best-in-Class Room Optimization fully integrated / Superior multi-subwoofer management & 4-ways active Xovers calibration / 8x HDMI Inputs, 2x HDMI Outputs / User-friendly, self-explaining user interface / Builtin WiFi & UPnP/DLNA Compliant Digital Media Renderer / Wide choice of Remote Options.

3.5 U Back: H: 165 mm / W: 430 mm / D: 405 mm Power consumption: 90 W max.







DESIGNED, MANUFACTURED AND ASSEMBLED IN FRANCE

IN 25 SOURCES PREAMP

■ 8x 3D Ready HDMI 1.4b compliant 1x 16 AES channels on DB25

4x S/PDIF coaxial on RCA

4x S/PDIF optical on TosLink

2x AES/EBU on XLR

3x BCA stereo

2x XLR stereo

V 1x BCA 7.1

1x 3D Microphone Input

OUT UP TO 32 SIMULTANEOUS OUTPUTS

2x HDMI outputs

16x AES channels on DB25

1x AES/EBU on XLR

1x S/PDIF coaxial + 1x S/PDIF optical

1 AML extension link

32x Balanced on 4x DB25

16x Balanced on 16x XLR

Z

✓ • 1x RCA stereo

AUDIO FORMATS



FILITOR TIPOLBY ATMOS dts X






- pass-through (HDMI 2.0 upgrade supported); HD Audio Codecs: Dolby TrueHD®, DTS-HD Master Audio®:
- 3D Audio Codecs (optional): Dolby Atmos®, Auro-3D®, DTS:X®:
- LPCM Audio: 16-channels AES input compatible with Digital Cinema Servers;
- UPnP/DLNA renderer: WAV, AIFF, OGG, FLAC up to 24 bits / 192 kHz.

REMOTE MANAGEMENT WITE ?





- Web-based responsive interface (Q1 2015);
- Automation via Telnet and RS232 protocols:
- Crestron® and Savant® modules available
- · Built-in Gigabit Ethernet and WiFi;
- Remote control included.

AUDIO PROCESSING

Automatic processing:

- Multi-point acoustic measurement (Trinnov 3D measurement microphone):
- Time/Frequency acoustic analysis based on impulse response measurement;
- Loudspeaker/Room optimization:
- Target Curves

3D tetrahedric measurement probe

Manual processing:

- Several layers of 31 bands Graphic EQ, FIR EQ, gains, polarity and delays available for every channel:
- Total delay given in meters/milliseconds/frames for the listening point and adjustable global delay for accurate Lip Sync;
- Front / Surround / Top balance.
- Comprehensive Processing latency control.

POWER

- Dedicated linear power supply with toroidal transformer on the Analog audio circuit;
- Dedicated PSU / switch-mode power supply on the digital audio circuit.

EXCLUSIVE TECHNOLOGIES

- Trinnov patented 2D/3D spatial remapping;
- Trinnov Loudspeaker/Room Optimization;
- Trinnov high-performance AD/DA converters, used daily by the most demanding mastering studios:
- Next Generation Hardware platform:
 - Revolutionary architecture, scalable processing
 - 64 bits Floating point & 24 bits / 192 kHz native processing:
 - Future-proof software-oriented upgrades provided over internet, no need for DSP upgrade;
 - · Robust design, inspired from our Professional Audio product lines.

SUBWOOFER MANAGEMENT

- Adjustable High Pass / Low pass editable by group or for individual satellite/sub:
- Support for 0 to 32 subwoofers;
- · Automatic level and delay alignment

LINEUP







ALTITUDE 32 16-32 16 AES Inputs / 32 Analog Outputs

